

I-PUNCH TOOL FOR V-MAX KEYSTONE JACKS

078-2150

Position	Height	Length	Width	Weight
Locked position	9.37 in 238 mm	2.4 in 62 mm	1.18 in 30 mm	1.1 lb 498 g
Open position	9.1 in 232 mm	5.5 in 140 mm		

CHARACTERISTICS: MATERIAL

Handle:	2-mm low-carbon cold-rolled steel thermoplastic rubber
Jack Holder:	2-mm low-carbon cold-rolled steel
Mechanism Casing:	2-mm low-carbon cold-rolled steel
Steel Hardness:	HR30N 55-65
Crimping Mechanism:	Ratchet

COMPATIBILITY

351, 352, & 353 Series



DESCRIPTION

I-Punch Termination Tool for CAT5e, CAT6, CAT6A V-Max Keystone Jacks
“The Most-Wanted Tool in the industry”

FEATURES


- Compatible with Vertical Cable CAT5e, CAT6, CAT6A V-Max keystone jacks – no separate dies or blades needed
- Mechanically stabilized heavy-duty ratcheted mechanism
- Durable low-carbon cold-rolled steel construction
- Unique design makes termination easy and fast
- Storage option – integrated locking yoke
- Lifetime warranty
- TAA-compliant (Made in Taiwan)

00:00:18 SEC
TO TERMINATE
A KEYSTONE JACK

WITH I-PUNCH TOOL BY VERTICAL CABLE



* 18 seconds - is the best time in the “Terminate That Jack” tournament



VERTICAL CABLE
951.696.7772 California
800.749.2447 Florida
845.391.8318 New York
713.322.7242 Texas



verticalcable.com




Rev. 02/2025

Subject to change without notice.


V-MAX Keystone Jacks & I-Punch Tool

Termination Instructions

CAT3: 300 & 350 Series | CAT5E: 301 & 351 Series | CAT6: 302 & 352 Series | CAT6A: 303 & 353 Series
I-Punch Tool: 078-2150 (Designed for All Unshielded Keystone Jacks by Vertical Cable)






Remove up to 2 inches of the jacket from the cable with a cutter or a stripper. Separate all twisted pairs from each other. Preserve the wire pair twists as close as possible to the point of termination. Determine the wiring scheme and properly align all four cables accordingly on the jack. Keep the cable jacket as close to the connector as possible.



Insert prepared jack & cable assembly into the I-Punch Tool

Firmly squeeze the handles together, release the handles and repeat this step to ensure a proper termination.



Termination is complete.

Watch
Video
Here



VERTICAL CABLE

951.696.7772 California
800.749.2447 Florida
845.391.8318 New York
713.322.7242 Texas

verticalcable.com

Rev. 02/2025

Subject to change without notice.